

SDS Report No. SHAMLP2020739701 Date: Oct. 26, 2020 Page 1 of 1

QINGHE COUNTY SHUOTAI SEALING STRIP CO.,LTD QINGHE COUNTY, XINGTAI CITY, HEBEI PROVINCE

SGS Ref. No. TJIN2010014792PC

FOAM WEATHER SEAL STRIPS Sample Name **End Uses** DOOR AND WINDOW SEALING

Composition/Ingredient of See Section 3 Composition/information on ingredients on the SDS

sample (as per client submission) report

Job Receiving Date Oct 19, 2020 Last Information Date Oct 23, 2020

SDS Preparation Period Oct 19 - Oct 26, 2020

Service Requested Preparation of Safety Data Sheet (SDS) for the sample with

submitted information.

Summary As per request, the contents and formats of the SDS are prepared

> in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No

2015/830, and is provided per attached.

Remark:

This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's

reference only.

Signed for and on behalf of

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Cathy Cai

Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

Printing date 26.10.2020 Version number 1.0 Revision: 26.10.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: FOAM WEATHER SEAL STRIPS

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture: DOOR AND WINDOW SEALING
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

QINGHE COUNTY SHUOTAI SEALING STRIP CO.,LTD

QINGHE COUNTY, XINGTAI CITY, HEBEI PROVINCE

Tel: 1887574041

E-mail: 13930904639@163.com

- · Only Representative / other EU contact point: Not available
- · Further information obtainable from: QINGHE COUNTY SHUOTAI SEALING STRIP CO.,LTD
- · 1.4 Emergency telephone number:

GERMANY

Poison Center Berlin - Institute of Toxicology

Tel: +49 030 192 40

- · 1.5 Reference Number: TJIN2010014792PC; SHAMLP2020739701
- · 1.6 Remark:

This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

· Information concerning particular hazards for human and environment:

The product has not to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.

· Classification system:

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Not applicable
- · Hazard pictograms Not applicable
- · Signal word Not applicable
- · Hazard-determining components of labelling: Not applicable
- · Hazard statements Not applicable
- · Precautionary statements Not applicable
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable
- · vPvB: Not applicable

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture of substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

(Contd. on page 2)

Printing date 26.10.2020 Version number 1.0 Revision: 26.10.2020

Trade name: FOAM WEATHER SEAL STRIPS

	(Cont	d. of page 1
· Composition:		
CAS: 51852-81-4	1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with bis(isocyanatomethyl)benzene	65.0%
CAS: 9002-88-4	Polyethylene	32.6%
CAS: 8050-31-5 EINECS: 232-482-5	Resin acids and Rosin acids, esters with glycerol	0.7%
CAS: 65997-17-3 EINECS: 266-046-0	glass, oxide, chemicals	0.6%
CAS: 1333-86-4 EINECS: 215-609-9	Carbon black substance with a Community workplace exposure limit	0.4%
CAS: 24937-78-8	Poly(ethylene-co-vinyl acetate)	0.35%
CAS: 9003-55-8	1,3-Butadiene/styrene copolymers	0.21%
CAS: 8002-74-2 EINECS: 232-315-6	Paraffin waxes and Hydrocarbon waxes substance with a Community workplace exposure limit	0.084%
CAS: 8042-47-5 EINECS: 232-455-8	White mineral oil (petroleum) Asp. Tox. 1, H304	0.056%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth with water.

Never give anything by mouth to an unconscious person.

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Avoid formation of dust.

(Contd. on page 3)

Printing date 26.10.2020 Version number 1.0 Revision: 26.10.2020

Trade name: FOAM WEATHER SEAL STRIPS

(Contd. of page 2)

Keep away from ignition sources.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Prevent formation of dust.

For the general occupational hygienic measures refer to section 8.

- · Information about fire and explosion protection: Normal measures for preventive fire protection.
- · 7.2 Conditions for safe storage, including any incompatibilities:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- \cdot 7.3 *Specific end use(s) No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

1333-86-4 Carbon black (0.4%)

VLEP (France) Long-term value: 3.5 mg/m³

8002-74-2 Paraffin waxes and Hydrocarbon waxes (0.084%)

VLEP (France) Long-term value: 2 mg/m³

- · DNELs: Data not available
- · PNECs: Data not available
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Based on composition shown in Section 3, the following messures are suggested for occupational safety measure:
- · Appropriate engineering controls: See Section 7 for information about design of technical facilities.
- · Personal protective equipment:
- Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Trade name: FOAM WEATHER SEAL STRIPS

(Contd. of page 3)

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

0.1 Information on basis abusing and	ahamiaal maanautiaa
9.1 Information on basic physical and Appearance:	cnemical properties
Form:	Solid
Colour:	Black
Odour:	Odourless
Odour threshold:	Data not available.
pH-value:	Data not available
Melting point/freezing point:	Data not available.
Initial boiling point and boiling range:	Data not available
Flash point:	Data not available
Flammability (solid, gas):	Date not available.
Auto-Ignition temperature:	Data not available
Decomposition temperature:	Date not available.
Self-igniting:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Data not available.
Upper:	Data not available.
Oxidising properties	Data not available
Vapour pressure:	Date not available.
Density:	Data not available.
Relative density	Data not available.
Vapour density	Date not available.
Evaporation rate	Data not available
Solubility in / Miscibility with	
water:	Data not available
Partition coefficient: n-octanol/water:	Data not available.
Viscosity:	
Dynamic:	Data not available
Kinematic:	Data not available

Printing date 26.10.2020 Version number 1.0 Revision: 26.10.2020

Trade name: FOAM WEATHER SEAL STRIPS

(Contd. of page 4)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No decomposition if used according to specification.
- · 10.2 Chemical stability Stable under recommended storage conditions.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
9002-88-4 Polyethylene			
Oral	LD50	>2,000 mg/kg (rat)	
1333-86	1333-86-4 Carbon black		
Oral	LD50	15,400 mg/kg (rat)	
Dermal	LD50	3,000 mg/kg (rabbit)	
8042-47-5 White mineral oil (petroleum)			
Oral	LD50	>5,000 mg/kg (rat)	

- · Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation: Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)

Printing date 26.10.2020 Version number 1.0 Revision: 26.10.2020

Trade name: FOAM WEATHER SEAL STRIPS

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR/RID/ADN, IMDG, IATA	Not applicable
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Not applicable
14.3 Transport hazard class(es)	
ADR/RID/ADN, IMDG, IATA	
Class	Not applicable
Label	Not applicable
14.4 Packing group	
ADR/RID/ADN, IMDG, IATA	Not applicable
14.5 Environmental hazards	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex	II of
Marpol and the IBC Code	Not applicable.
14.8 Transport/Additional information:	Not dangerous according to the above specifications
UN "Model Regulation":	Not applicable

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK (German Maximum Workplace Concerntration)

1333-86-4 Carbon black

3B

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate List of REACH Regulation Annex XIV Authorisation (25/6/2020)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 26.10.2020 Version number 1.0 Revision: 26.10.2020

Trade name: FOAM WEATHER SEAL STRIPS

(Contd. of page 6)

· REACH Regulation Annex XVII Restriction (20/6/2019) See Section 16 for information about restriction of use.

None of the ingredients is listed.

· REACH Regulation Annex XIV Authorization List (06/2/2020)

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant hazard statements

H304 May be fatal if swallowed and enters airways.

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Remark:

This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

 $vPvB: \ very \ Persistent \ and \ very \ Bioaccumulative$

Asp. Tox. 1: Aspiration hazard - Category 1

End of document